Lecture 4 Agile Development

Instructor: Hossein Momeni momeni@iust.ac.ir Mazandaran University of Science and Technology

These courseware materials are to be used in conjunction with *Software Engineering: A Practitioner's Approach*, 6/e and are provided with permission by R.S. Pressman & Associates, Inc., copyright © 1996, 2001, 2005

1

The Manifesto for Agile Software Development

"We are uncovering better ways of developing software by doing it and helping others do it. Through this work we have come to value:

• *Individuals and interactions* over processes and tools

• Working software over comprehensive documentation

• *Customer collaboration* over contract negotiation

•*Responding to change* over following a plan That is, while there is value in the items on the right, we value the items on the left more."

Kent Beck et al

What is "Agility"?

- Effective (rapid and adaptive) response to change
- Effective communication among all stakeholders
- Drawing the customer onto the team
- Organizing a team so that it is in control of the work performed

Yielding ...

Rapid, incremental delivery of software

An Agile Process

- Is driven by customer descriptions of what is required (scenarios)
- Recognizes that plans are short-lived
- Develops software iteratively with a heavy emphasis on construction activities
- Delivers multiple 'software increments'
- Adapts as changes occur

Extreme Programming (XP)

- The most widely used agile process, originally proposed by Kent Beck
- XP Planning
 - Begins with the creation of "user stories"
 - Agile team assesses each story and assigns a cost
 - Stories are grouped to for a deliverable increment
 - A commitment is made on delivery date
 - After the first increment "project velocity" is used to help define subsequent delivery dates for other increments

Extreme Programming (XP)

XP Design

- Follows the KIS principle
- Encourage the use of CRC cards (see Chapter 8)
- For difficult design problems, suggests the creation of "spike solutions"—a design prototype
- Encourages "refactoring"—an iterative refinement of the internal program design


XP Coding

- Recommends the construction of a unit test for a store *before* coding commences
- Encourages "pair programming"

XP Testing

- All unit tests are executed daily
- "Acceptance tests" are defined by the customer and excuted to assess customer visible functionality


Extreme Programming (XP)



Adaptive Software Development

- Originally proposed by Jim Highsmith
- ASD distinguishing features
 - Mission-driven planning
 - Component-based focus
 - Uses "time-boxing" (See Chapter 24)
 - Explicit consideration of risks
 - Emphasizes collaboration for requirements gathering
 - Emphasizes "learning" throughout the process

Adaptive Software Development



Dynamic Systems Development Method

Promoted by the DSDM Consortium (<u>www.dsdm.org</u>)


DSDM—distinguishing features

Similar in most respects to XP and/or ASD

Nine guiding principles

- Active user involvement is imperative.
- DSDM teams must be empowered to make decisions.
- The focus is on frequent delivery of products.
- Fitness for business purpose is the essential criterion for acceptance of deliverables.
- Iterative and incremental development is necessary to converge on an accurate business solution.
- All changes during development are reversible.
- Requirements are baselined at a high level
- Testing is integrated throughout the life-cycle.

Dynamic Systems Development Method




These courseware materials are to be used in conjunction with *Software Engineering: A Practitioner's Approach*, 6/e and are provided with permission by R.S. Pressman & Associates, Inc., copyright © 1996, 2001, 2005

Scrum

- Originally proposed by Schwaber and Beedle
- Scrum—distinguishing features
 - Development work is partitioned into "packets"
 - Testing and documentation are on-going as the product is constructed
 - Work occurs in "sprints" and is derived from a "backlog" of existing requirements
 - Meetings are very short and sometimes conducted without chairs
 - "demos" are delivered to the customer with the time-box allocated

Scrum



These courseware materials are to be used in conjunction with *Software Engineering: A Practitioner's Approach*, 6/e and are provided with permission by R.S. Pressman & Associates, Inc., copyright © 1996, 2001, 2005


Crystal

- Proposed by Cockburn and Highsmith
- Crystal—distinguishing features
 - Actually a family of process models that allow "maneuverability" based on problem characteristics
 - Face-to-face communication is emphasized
 - Suggests the use of "reflection workshops" to review the work habits of the team

Feature Driven Development

- Originally proposed by Peter Coad et al
- FDD—distinguishing features
 - Emphasis is on defining "features"
 - a *feature* "is a client-valued function that can be implemented in two weeks or less."
 - Uses a feature template
 - <action> the <result> <by | for | of | to> a(n) <object>
 - A features list is created and "plan by feature" is conducted
 - Design and construction merge in FDD

Feature Driven Development



Reprinted with permission of Peter Coad

These courseware materials are to be used in conjunction with *Software Engineering: A Practitioner's Approach*, 6/e and are provided with permission by R.S. Pressman & Associates, Inc., copyright © 1996, 2001, 2005

Agile Modeling

- Originally proposed by Scott Ambler
- Suggests a set of agile modeling principles
 - Model with a purpose
 - Use multiple models
 - Travel light
 - Content is more important than representation
 - Know the models and the tools you use to create them
 - Adapt locally