

17. Multidimensional Arrays

Java

Summer 2008

Instructor: Dr. Masoud Yaghini

Outline

- Declaring and Creating of Two-Dimensional Arrays
- Ragged Arrays
- Simple Processing on Two-Dimensional Arrays
- Three-Dimensional Arrays
- References

Declaring and Creating of Two-Dimensional Arrays



Multidimensional Arrays

Declaring and Creating of Two-Dimensional Arrays

```
// Declare array ref var  
dataType[][] refVar;
```

```
// Create array and assign its reference to variable  
refVar = new dataType[10][10];
```

```
// Combine declaration and creation in one statement  
dataType[][] refVar = new dataType[10][10];
```

```
// Alternative syntax  
dataType refVar[][] = new dataType[10][10];  
// This style is allowed, but not preferred
```

Multidimensional Arrays

Declaring and Creating of Two-Dimensional Arrays

- Example:

```
int [][] matrix = new int [10] [10];
```

- or

```
int matrix [][] = new int [10] [10];
```

```
matrix [0] [0] = 3;
```

Multidimensional Arrays

Declaring and Creating of Two-Dimensional Arrays

- You can also use an array *initializer* to declare, create, and initialize a two-dimensional array:

```
int[][] array = {  
    {1, 2, 3},  
    {4, 5, 6},  
    {7, 8, 9},  
    {10, 11, 12}  
};
```

(a)

Equivalent

```
int[][] array = new int[4][3];  
array[0][0] = 1; array[0][1] = 2; array[0][2] = 3;  
array[1][0] = 4; array[1][1] = 5; array[1][2] = 6;  
array[2][0] = 7; array[2][1] = 8; array[2][2] = 9;  
array[3][0] = 10; array[3][1] = 11; array[3][2] = 12;
```

(b)

Multidimensional Arrays

Declaring and Creating of Two-Dimensional Arrays

	[0]	[1]	[2]	[3]	[4]
[0]					
[1]					
[2]					
[3]					
[4]					

`matrix = new int[5][5];`

(a)

	[0]	[1]	[2]	[3]	[4]
[0]					
[1]					
[2]		7			
[3]					
[4]					

`matrix[2][1] = 7;`

(b)

	[0]	[1]	[2]
[0]	1	2	3
[1]	4	5	6
[2]	7	8	9
[3]	10	11	12

```
int[][] array = {  
    {1, 2, 3},  
    {4, 5, 6},  
    {7, 8, 9},  
    {10, 11, 12}  
};
```

(c)

Multidimensional Arrays

Example

```
1 class MultiDimArrayDemo {
2     public static void main(String[] args){
3         String[][] names = { {"Mr. ", "Mrs. ", "Ms. "},
4                               {"Smith", "Jones"} };
5         System.out.println(names[0][0]+ names[1][0]); // Mr. Smith
6         System.out.println(names[0][2]+ names[1][1]); // Ms. Jones
7     }
8 }
```

- The output from this program?

Mr. Smith


Ms. Jones

Multidimensional Arrays

Obtaining the Lengths of Two-Dimensional Arrays

- A two-dimensional array is actually an array in which each element is a one-dimensional array.

```
int [][] x = new int [3] [4];
```






Ragged Arrays



Multidimensional Arrays

Ragged Arrays

- Each row in a two-dimensional array is itself an array. So, the rows can have different lengths. Such an array is known as *a ragged array*. For example:



- `triangleArray.length` is 5, `triangleArray[0].length` is 5, `triangleArray[1].length` is 4, `triangleArray[2].length` is 3, `triangleArray[3].length` is 2, and `triangleArray[4].length` is 1.

Ragged Arrays

- you can create a ragged array using the syntax that follows:

```
int[][] triangleArray = new int[5][];  
triangleArray[0] = new int[5];  
triangleArray[1] = new int[4];  
triangleArray[2] = new int[3];  
triangleArray[3] = new int[2];  
triangleArray[4] = new int[1];
```



Simple Processing on Two-Dimensional Arrays



Processing Two-Dimensional Arrays

- Suppose an array matrix is declared as follows:

```
int [][] matrix = new int [10] [10];
```

- Initializing arrays with random values:

```
for (int row = 0; row < matrix.length; row++) {  
    for (int column = 0; column < matrix[row].length;  
        column++) {  
        matrix[row][column] = (int) (Math.random() * 100);  
    }  
}
```

Processing Two-Dimensional Arrays

- **Printing arrays:**

```
for (int row = 0; row < matrix.length; row++) {  
    for (int column = 0; column < matrix[row].length; column++) {  
        System.out.print(matrix[row][column] + " ");  
    }  
    System.out.println();  
}
```

- **Summing all elements:**

```
int total = 0;  
for (int row = 0; row < matrix.length; row++) {  
    for (int column = 0; column < matrix[row].length; column++) {  
        total += matrix[row][column];  
    }  
}
```

Processing Two-Dimensional Arrays

- **Summing elements by column:**

```
for (int column = 0; column < matrix[0].length; column++) {  
    int total = 0;  
    for (int row = 0; row < matrix.length; row++)  
        total += matrix[row][column];  
    System.out.println("Sum for column " + column + " is " +  
total);  
}
```


Processing Two-Dimensional Arrays

- Which row as the largest sum?

```
int maxRow = 0;
int indexOfMaxRow = 0; // Get sum of the first row in maxRow
for (int column = 0; column < matrix[0].length; column++) {
    maxRow += matrix[0][column];
}
for (int row = 1; row < matrix.length; row++) {
    int totalOfThisRow = 0;
    for (int column = 0; column < matrix[row].length; column++) {
        totalOfThisRow += matrix[row][column];
        if (totalOfThisRow > maxRow) {
            maxRow = totalOfThisRow; indexOfMaxRow = row;
        }
    }
}
System.out.println("Row " + indexOfMaxRow + " has the maximum
    sum" + " of " + maxRow);
```

Multidimensional Arrays

Example: Grading a Multiple-Choice Test

- Suppose there are eight students and ten questions, and the answers are stored in a two-dimensional array.
- Each row records a student's answers to the questions.
- Objective: write a program that grades multiple-choice test.

	Students' Answers to the Questions:									
	0	1	2	3	4	5	6	7	8	9
Student 0	A	B	A	C	C	D	E	E	A	D
Student 1	D	B	A	B	C	A	E	E	A	D
Student 2	E	D	D	A	C	B	E	E	A	D
Student 3	C	B	A	E	D	C	E	E	A	D
Student 4	A	B	D	C	C	D	E	E	A	D
Student 5	B	B	E	C	C	D	E	E	A	D
Student 6	B	B	A	C	C	D	E	E	A	D
Student 7	E	B	E	C	C	D	E	E	A	D

	Key to the Questions:									
	0	1	2	3	4	5	6	7	8	9
Key	D	B	D	C	C	D	A	E	A	D

Multidimensional Arrays

Example: Grading a Multiple-Choice Test

```
1 public class GradeExam {
2     /** Main method */
3     public static void main(String args[]) {
4         // Students' answers to the questions
5         char[][] answers = {
6             {'A', 'B', 'A', 'C', 'C', 'D', 'E', 'E', 'A', 'D'},
7             {'D', 'B', 'A', 'B', 'C', 'A', 'E', 'E', 'A', 'D'},
8             {'E', 'D', 'D', 'A', 'C', 'B', 'E', 'E', 'A', 'D'},
9             {'C', 'B', 'A', 'E', 'D', 'C', 'E', 'E', 'A', 'D'},
10            {'A', 'B', 'D', 'C', 'C', 'D', 'E', 'E', 'A', 'D'},
11            {'B', 'B', 'E', 'C', 'C', 'D', 'E', 'E', 'A', 'D'},
12            {'B', 'B', 'A', 'C', 'C', 'D', 'E', 'E', 'A', 'D'},
13            {'E', 'B', 'E', 'C', 'C', 'D', 'E', 'E', 'A', 'D'}};
14
15        // Key to the questions
16        char[] keys = {'D', 'B', 'D', 'C', 'C', 'D', 'A', 'E', 'A', 'D'};
17    }
```

Multidimensional Arrays

Example: Grading a Multiple-Choice Test

```
18     // Grade all answers
19     for (int i = 0; i < answers.length; i++) {
20         // Grade one student
21         int correctCount = 0;
22         for (int j = 0; j < answers[i].length; j++) {
23             if (answers[i][j] == keys[j])
24                 correctCount++;
25         }
26
27         System.out.println("Student " + i + "'s correct count is " +
28             correctCount);
29     }
30 }
31 }
```

Multidimensional Arrays

Example: Grading a Multiple-Choice Test

- The output:

Student 0's correct count is 7

Student 1's correct count is 6

Student 2's correct count is 5

Student 3's correct count is 4

Student 4's correct count is 8

Student 5's correct count is 7

Student 6's correct count is 7

Student 7's correct count is 7



Three-Dimensional Arrays



Multidimensional Arrays

An Example of Three-Dimensional Arrays

- Suppose the scores are stored in a three-dimensional array named scores.
- The first index in scores refers to a student, the second refers to an exam, and the third refers to a part of the exam.
- Suppose there are seven students, five exams, and each exam has two parts: a multiple-choice part and a programming part.
- The program calculates the total score for the students in a class.

Multidimensional Arrays

An Example of Three-Dimensional Arrays

```
1 public class TotalScore {
2     /** Main method */
3     public static void main(String args[]) {
4         double[][][] scores = {
5             {{7.5, 20.5}, {9.0, 22.5}, {15, 33.5}, {13, 21.5}, {15, 2.5}},
6             {{4.5, 21.5}, {9.0, 22.5}, {15, 34.5}, {12, 20.5}, {14, 9.5}},
7             {{5.5, 30.5}, {9.4, 10.5}, {11, 33.5}, {11, 23.5}, {10, 2.5}},
8             {{6.5, 23.5}, {9.4, 32.5}, {13, 34.5}, {11, 20.5}, {16, 7.5}},
9             {{8.5, 25.5}, {9.4, 52.5}, {13, 36.5}, {13, 24.5}, {16, 2.5}},
10            {{9.5, 20.5}, {9.4, 42.5}, {13, 31.5}, {12, 20.5}, {16, 6.5}},
11            {{1.5, 29.5}, {6.4, 22.5}, {14, 30.5}, {10, 30.5}, {16, 5.0}}};
12
13     // Calculate and display total score for each student
14     for (int i = 0; i < scores.length; i++) {
15         double totalScore = 0;
16         for (int j = 0; j < scores[i].length; j++)
17             for (int k = 0; k < scores[i][j].length; k++)
18                 totalScore += scores[i][j][k];
19
20         System.out.println("Student " + i + "'s score is " +
21             totalScore);
22     }
23 }
24 }
```

Scores[0,3,0]

Scores[6,4,1]

Multidimensional Arrays

An Example of Three-Dimensional Arrays

- The output:

Student 0's score is 160.0

Student 1's score is 163.0

Student 2's score is 147.4

Student 3's score is 174.4

Student 4's score is 201.4

Student 5's score is 181.4

Student 6's score is 165.9



References



References

- Y. Daniel Liang, **Introduction to Java Programming**, Sixth Edition, Pearson Education, 2007. (Chapter 6)
- S. Zakhour and et. al., **The Java Tutorial: A Short Course on the Basics**, 4th Edition, Prentice Hall, 2006. (Chapter 3)



The End